


## AMENDMENTS TO THE CLAIMS

*This listing of claims replaces all prior versions of listing of claims, and listing of claims in the application.*

### Listing of Claims

1. (Original) Polymerisation initiator system, comprising a water-soluble container and a water-soluble azo-initiator inside the container.
2. (Original) Polymerisation initiator package according to claim 1, wherein the water-soluble container is a bag.
3. (Previously presented) Polymerisation initiator system according to claim 1, wherein the container is made of a water-soluble polymer.
4. (Original) Polymerisation initiator system according to claim 3, wherein the water-soluble polymer is a water-soluble cellulosic polymer or polyvinylalcohol.
5. (Previously presented) Polymerisation initiator system according to claim 3, wherein the container is an extruded container.
6. (Previously presented) Polymerisation initiator system according to claim 1, wherein the azo-initiator is selected from the group consisting of compounds represented by the formula




Formula I

wherein


$R^1$ ,  $R^2$ ,  $R^3$  and  $R^4$  each represent the same or a different alkyl group or cycloalkyl group

Y and Z each represent the same or a different group represented by the formula



Formula II

or



Formula III

R<sup>5</sup> is a hydrogen atom or an optionally substituted alkyl, allyl or phenyl group

R<sup>6</sup> is a hydrogen atom or an optionally substituted alkyl or phenyl group

R<sup>7</sup> is an optionally substituted alkylene group

R<sup>8</sup> is a hydrogen atom or a hydroxyalkyl group

X is a anion, wherein n represents its valence, and X is preferably a monovalent anion, more preferably chloride, bromide or acetate.

7. (Currently Amended) Polymerisation initiator system according to claim 1[[6]], wherein the the azo-initiator is 2,2'-Azobis(2-amidinopropane), 2,2'-azobis[2-(2-imidazolin-2-yl)propane] or a salt thereof
8. (Currently Amended) Polymerisation initiator system according to claim 1, wherein the amount of azo-initiator in the container is in the range of 1 g to 25 kg, preferably of 100g to 10 kg.
9. (Previously Presented) Polymerisation initiator system according to claim 1, wherein the container comprises at least one component selected from the group consisting of

anti-foaming agents and diluent materials.

10-14. Withdrawn

15. (Previously Presented) Method for preparing a polymerisation initiator system according to claim 1, wherein the water-soluble azo-initiator is introduced into the water-soluble container, after which the container is sealed.

16. (Previously Presented) Method for handling a polymerisation initiator system according to claim 1, wherein the system is transferred from a polymerisation initiator system manufacturing site to a polymer production site and integrally introduced into a polymerisation reactor.